



Soils Map



State: **Wisconsin**
 County: **Green**
 Location: **33-3N-9E**
 Township: **Albany**
 Acres: **83.77**
 Date: **2/10/2023**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2021 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: WI045, Soil Area Version: 23

| Code | Soil Description | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Irr Class *c | Alfalfa hay Tons | Corn Bu | Corn silage Tons | Kentucky bluegrass AUM | Soybeans Tons | Soybeans Bu | Winter wheat Bu | *n NCCPI Overall | *n NCCPI Corn | *n NCCPI Soybeans |
|------|--|-------|------------------|----------------------|------------------|--------------|------------------|---------|------------------|------------------------|---------------|-------------|-----------------|------------------|---------------|-------------------|
| DdA | Dickinson sandy loam, 1 to 3 percent slopes | 14.07 | 16.8% | | Ills | | 4 | 95 | 15 | | | 31 | | 52 | 52 | 35 |
| LeA | Lawler loam, 0 to 2 percent slopes | 13.86 | 16.5% | | Ilw | | 3.8 | 110 | 18 | | | 36 | | 67 | 67 | 48 |
| Mc | Marshan silt loam, rarely flooded | 9.61 | 11.5% | | Ilw | | | 110 | 18 | | | 36 | | 27 | 22 | 27 |
| Ae | Alluvial land, wet, frequently flooded | 8.82 | 10.5% | | Vw | | | | | | | | | | | |
| Pa | Palms muck, 0 to 2 percent slopes | 7.16 | 8.5% | | Illw | | | 124.4 | 20 | | 46 | | | 30 | 12 | 6 |
| Hu | Houghton mucky peat, 0 to 2 percent slopes | 6.56 | 7.8% | | Illw | | | 135 | 23 | | | 46 | | 10 | 10 | 3 |
| FsB2 | Fox silt loam, 2 to 6 percent slopes, eroded | 5.85 | 7.0% | | Ile | | 4.1 | 105 | 17 | 3.6 | | 35 | 42 | 59 | 59 | 52 |
| NoC2 | Northfield loam, 6 to 12 percent slopes, moderately eroded | 5.18 | 6.2% | | IVe | | 2 | 55 | 9 | | | 18 | | 26 | 26 | 20 |

| | | | | | | | | | | | | | | | | |
|-------------------------|--|------|------|--|-------------|-----------|------------|-----------|-------------|------------|------------|-------------|------------|--------------|----------------|----------------|
| OsB2 | Oshtemo loamy sand, 2 to 6 percent slopes, moderately eroded | 5.16 | 6.2% | | III s | III e | 3.7 | 90 | 15 | | | 30 | | 55 | 55 | 36 |
| FoB2 | Fox loam, 2 to 6 percent slopes, moderately eroded | 3.76 | 4.5% | | Ile | | 4.1 | 105 | 17 | | | 35 | | 55 | 55 | 51 |
| Te | Terrace escarpments | 2.13 | 2.5% | | VIs | | | | | | | | | | | |
| SfA | Shiffer loam, 0 to 3 percent slopes, rarely flooded | 1.61 | 1.9% | | IIw | | 3.7 | 105 | 17 | | | 35 | | 62 | 62 | 53 |
| Weighted Average | | | | | 2.93 | *- | 2.2 | 91 | 14.8 | 0.3 | 3.9 | 26.5 | 2.9 | *n 39 | *n 36.9 | *n 28.1 |

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Soils data provided by USDA and NRCS.